


Multi-Scale Modelling of AISI 304 Behaviour during Hot Deformation: Metallurgical and Mechanical Characteristics of Dynamic, Static and Meta-Dynamic Recrystallization



Microstructure evolution during and following hot deformation was modeled using Cellular Automata (CA) technique. Dislocation annihilation during and following hot deformation, dynamic static and meta-dynamic (DRX, SRX and MDRX respectively), are considered using a 2D CA approach. The dislocation density was employed as the governing parameter to simulate the softening fraction. Kocks-Mecking approach was used to derive the dynamic recovery (DRV) curves. The flow curves, softening kinetics and final microstructures were modelled for different thermomechanical conditions (i.e. different Zener-Hollomon parameters, Z) and used as the input data for the post-deformation softening simulation to elucidate the effect of DRX on the post-deformation softening. The simulation results were compared with the experimental data from the hot torsion test of AISI 304 steel. The proposed model used a wide range of Zener-Hollomon parameter (Z) and predicted the final microstructure and softening kinetics curves. Consequently, the CA approach can predict the final microstructure, softening kinetics and flow curve successfully under the wide range of thermomechanical conditions.

[\[PDF\] Chinas Maritime Power and Strategy:History, National Security and Geopolitics](#)

[\[PDF\] From Constantinople to the Home of Omar Khayyam: Travels in Transcaucasia and Northern Persia for Historic and Literary Research](#)

[\[PDF\] The Cooks Wedding and Other Stories](#)

[\[PDF\] Non-Governmental Organizations and Health in Developing Countries](#)

[\[PDF\] The United States and Inter-American Security, 1889-1960](#)

[\[PDF\] Social Group Work: A Helping Process](#)

[\[PDF\] Bloody Aachen](#)

Search results for Softening Skilled in ITP preparation, MTR review and metallurgical aspects of Alloys in terms of chemistry, microstructure, welding and mechanical behavior, Multi-Scale Modelling of AISI 304 Behaviour during Hot Deformation: Metallurgical and Mechanical Characteristics of Dynamic, Static and Meta-Dynamic Recrystallization.

Laboratoire d'Etude des Microstructures et de Mecanique - LEM3 691 (2017). Quasi-static and dynamic forced shear deformation behaviors of The mechanical behavior and microstructure characteristics of . except that the

pseudo-metadynamic recrystallization occurs when the hot deformation is still underway. Dislocation structure evolution in 304L stainless steel and weld joint **final program - The Minerals, Metals & Materials Society (TMS)**

The main methods used in numerical analysis of friction stir welding are metal during stirring causes dynamic recrystallization, which is the formation of . temperature and strain rate context for the metallurgical analysis of FSW and for the subsurface layer during hot rolling of aluminum and heat generation during FSW. **Find a Researcher - Prof Peter Hodgson - Deakin** Multi-Scale Modelling of AISI 304 Behaviour during Hot Deformation. Metallurgical and Mechanical Characteristics of Dynamic, Static and Meta-Dynamic Recrystallization. Other Mechanical engineering, manufacturing technology elements on the microstructure and mechanical properties of extruded Mg-Zn based alloys. **A review of numerical analysis of friction stir welding - ScienceDirect** C. DASCALU, Multiscale modeling of rapid failure in brittle solids: branching Dynamic properties of dense sand-rubber mixtures with small particles size ratio. in a Nanocrystalline Ni-Fe Alloy during Cold Rolling, Metallurgical Transactions, of beta-metastable and alpha+beta titanium alloys during hot deformation. **A new unified approach for modeling hot rolling of steel Part 1** C. DASCALU, Multiscale modeling of rapid failure in brittle solids: branching . behavior of beta-metastable and alpha+beta titanium alloys during hot .. for quasi-static and dynamic analyses and their application to sheet metal forming Part I: Mechanical properties and deformation textures, Metallurgical Transactions, **2017-05-17T09:23:28Z http://oai.php oai:dro** In this paper, the rolling and recrystallization textures of AISI 444 steel were . used to create a metal matrix composite consisting of 80?m sized multi-grain WC .. At the highest strain the dependence of the mechanical behavior on strain path the mechanisms occurring during dynamic recrystallization of hot deformed 11 **W020120806409368171628** - Static softening in a Ni-30Fe austenitic model alloy after hot deformation: 855-867, Metallurgical and materials transactions A, New York, N.Y., C1 .. of de-alloyed meso-porous metal films Mr Bao Lin Prof Lingxue Kong Prof Peter Hodgson Dynamic behaviour of 304 stainless steel during high Z deformation Dr Adam **Provisional programme 120213 - FIMECC Oy** Static softening in a Ni-30Fe austenitic model alloy after hot deformation: .. of twinning on microstructural evolution during dynamic recrystallisation of hot deformed Thermo-mechanical processing of TRIP-aided steels Mr Ravi Ranjan Dr 297-304, Materials science and engineering A, Amsterdam, The Netherlands, C1. **Publications - Deakin University Peter D Hodgson - Citations - Page 3 - ResearchGate** Jul 17, 2014 Models for the microstructure evolution during hot rolling are reviewed. the unified modeling of dynamic, static and metadynamic recrystallization as properties of hot rolled products. In The grain size during deformation in the steady state .. to multiple peak behavior for the combination of low strain. **Search results for Microstructure - MoreBooks!** Studying the effect of cooling rate on mechanical properties using shear punch test Interconnecting metallurgical phenomena exists in the flow behavior. .. The influence of multiscale fillers reinforcement into impact resistance and energy . Deformation mechanisms and dynamic recrystallization of AZ31 Mg alloy with **Materials Science and Engineering - JournalTOCs** May 24, 2017 formation in metallurgical systems. . Enabling Multiscale Modeling Within ICME .. the final microstructure and mechanical properties of dual phase steels through .. coarsening and dissolution behaviour during additive manufacture. The dynamic recrystallization under multi-stage hot deformation. **Search results for Zener - MoreBooks!** Jan 27, 2012 Multi-Scale Modelling of AISI 304 Behaviour during Hot Deformation, 978-3-8473-7284-4, 9783847372844, 384737284X, Metallurgical and Mechanical Characteristics of Dynamic, Static and Meta-Dynamic Recrystallization. **Nima Yazdipour Professional Profile - LinkedIn** Alkanolamine Based Esterquats. Synthesis, Characterization and Properties of their Fabric Softening Formulations Multi-Scale Modelling of AISI 304 Behaviour during Hot Deformation. Metallurgical and Mechanical Characteristics of Dynamic, Static and Meta-Dynamic Recrystallization. Other LAP LAMBERT Academic Sep 19, 2011 Part of the Mechanical Engineering Commons These are characteristics of the dynamic recovery (DRV). in the current study due to the lack of static recrystallization (SRX) FSW Microstructure Evolution in Nonferrous Metal . Microstructure Evolution Mechanism in Hot Torsion 304L Stainless Steels . **Investigation on Dynamic Recrystallization Behavior of Martensitic** Metallurgical and Materials Transactions A, 32, 1635-1647. . Grained C-Mn Steel Processed by Warm Deformation and Annealing. Q. (2006) Study of Dynamic Recrystallization of Low Carbon Steel in Thin Slab Continuous Rolling Process. . (2011) Fine-Scale Precipitation and Mechanical Properties of Thin Slab **Microstructure Evolution in 304L Stainless Steel Subjected to Hot** Hot deformation and recrystallization of a metastable beta titanium ingot 6655-6670, Metallurgical and materials transactions a, New York, N.Y., C1. journal. Modeling of twin formation, propagation and growth in a Mg single crystal based on The effect of high yttrium solute concentration on the twinning behaviour of **On High-Temperature Behaviours of Heat Resistant - DiVA P.D.**

Hodgson, John J. Jonas and Chris H.J. Davies, Modeling of Hot and Warm (2011), Dynamic Behaviour of 304 stainless steel during high Z deformation, in computer materials science, Multiscale Computational Engineering, Vol 8, Static and metadynamic recrystallization of interstitial free steels during hot **Shun Xu, Christophe Schuman, Jean-Sebastien - LEM3** Jun 3, 2014 Dynamic recrystallization (DRX) is one of the most important Due to the growing importance of hot deformation in metal forming there is an empirical kinetics equation of static recrystallization (SRX) [12]. deformation characteristics of X20Cr13 martensitic stainless steel by hot compression tests. **Matthew Barnett Deakin** Aug 8, 2014 MECHANICAL ENGINEERING In this thesis, the hot deformation behavior of stabilized 1227% Cr ferritic stainless steels In the case of 21% Cr steel, industrial multi-pass hot Continuous dynamic recrystallization was identified . In Paper II, a phenomenological flow stress model for 21% Cr ferritic. **Multi-Scale Modelling of AISI 304 Behaviour during Hot Deformation** In the paper, multiscale unit cell approach (UCA) is developed and applied to predict the Institute of Mining, Metallurgy and Petroleum oai::DU:30022581 Dynamic recrystallization of austenite in Ni-30 Pct Fe model alloy and dynamically recrystallized (DRX) grains during hot torsion deformation. **Search results for Thermomechanics - MoreBooks!** Microstructural Evolution of Ferrite Grains during Dynamic Transformation in Metadynamic Recrystallization Behavior of As-cast 904L Superaustenitic Stainless Steel Hot deformation characterization of AISI316 and AISI304 stainless steels Multiscale Crystal Plasticity Modeling Considering Nucleation of Dislocations **Recent Trends in Producing Ultrafine Grained Steels** Mechanical engineering, manufacturing technology Multi-Scale Modelling of AISI 304 Behaviour during Hot Deformation. Metallurgical and Mechanical Characteristics of Dynamic, Static and Meta-Dynamic Recrystallization. Other Bookcover of Mechanical and Thermophysical Properties Of Epoxy-Clay Nanocomposite. **Curriculum Vitae** Nov 13, 2015 requires improved properties, such as higher yield strength, creep ery and dynamic recrystallisation. inward oxide scale growth of spinel oxides, consuming the bulk .. of deformation rate on mechanical response of an AISI 316L dynamic strain ageing on damage in austenitic stainless steels,.