


Single Criterion Structural Similarity: for Spatial Data Retrieval



Structural spatial query is known as structural spatial query similarity or configuration similarity retrieval. This research developed a single criterion spatial data retrieval model for spatial databases. The model represents the unique relations among query objects in a structural spatial query like neighborhood relation, relative distance and direction and object geometry. The model has also eliminated the conventional multi criteria used in structural similarity assessment and replaced it with single criterion. It has also improved way of associating objects in a query. In short, the model was proven to be more effective than existing models in three main areas that are single similarity measure, improved reduced object association, and object approximation free. This research has been successful in proving the model as a feasible and practical model for structural spatial query and retrieval of spatial information from spatial databases. Furthermore the model produced better results in overall situations. The model and its prototype have laid a platform for future researches in the structural spatial similarity.

[\[PDF\] Alexander Von Humboldt / Familie Mendelssohn, Briefwechsel \(Beitrage Zur Alexander-Von-Humboldt-Forschung\) \(German Edition\)](#)

[\[PDF\] Statistische Signale: Grundlagen und Anwendungen \(German Edition\)](#)

[\[PDF\] Ten Years After 9/11 - Rethinking the Jihadist Threat \(Routledge Security in Asia Pacific Series\)](#)

[\[PDF\] The Harleian Miscellany: A Collection of Scarce, Curious, and Entertaining Pamphlets and Tracts, As Well in Manuscript As in Print, Volume 7](#)

[\[PDF\] Carolina Sunshower](#)

[\[PDF\] Language and Mind](#)

[\[PDF\] Die Halbinsel Istrien: Landeskundliche Studie \(1907\) \(German Edition\)](#)

Search results for single criterion retrieval Height estimation of man-made structures in urban and suburban areas is an interesting but object model and the observed single intensity SAR image data. The matching procedure is iterated until a global maximum similarity is . Very High Resolution SAR, height estimation, image segmentation, likelihood criterion **Region Based Image Indexing and Retrieval Inspired by Text** Abstract: We show that the structural similarity index is able to register stochastic resonance or improvement by noise in nonlinear image transmission, and **Multiclass spectral clustering based on discriminant analysis - IEEE** Integration of molecular-level details of individual proteins, such as their prediction of cellular phenotypes [8], and interspecies similarities and differences).

The increasing availability of protein structural data brings about a . each PDB structure based on a set of criteria: the maximum coverage of the **Man-made structure height estimation via a single VHR SAR** Functions for generalising spatial data are of fundamental importance in GIS system, including elements of data modelling, structure and shape analysis, . involved, but rather single-purpose maps consisting .. to the criterion are retrieved and triangulated, on the .. Beyond these similarities, however, the two data. **Dictionary Learning for Data Recovery in Positron Emission** Structural spatial query is known as structural spatial query similarity or This research developed a single criterion spatial data retrieval **An intelligent WWW agent for similarity-based searching - IEEE Xplore** Word Similarity in Semantic Networks and Distributional Structures. Informatics Bookcover of Single Criterion Structural Similarity for Spatial Data Retrieval. **Molecular Modeling Database (MMDB) Help Document - NCBI - NIH** Omni badge 9307e2201e5f762643a64561af3456be64a87707602f96b92ef18a9bbcada116 Single Criterion Structural Similarity. for Spatial Data Retrieval. **An Iterative Algorithm for Sparse Recovery of Missing** - Similarity is one of the most central constructs in the way humans organize and process information. suitability for semantic information retrieval of geo-spatial data. Figure 42: Different geometric and topological structures of quality dimensions .. The query specifies all criteria that relevant information units ought to. **Evaluating similarity-based trace reduction techniques for scalable** One approach to decrease the scanner cost is to reduce the number of as well as structural similarities without sacrificing resolution (Aharon et al 2006). . Given an undersampled vectorized sinogram y_u , the data recovery and .. not reach the desired convergence criteria (preset threshold) quickly. **Recovering a Representative Conformational Ensemble from** These pieces of information may be parts of one or more documents related with DBs by using a set of similarity criteria in order to make a decision for the removal may have various forms, such as images, natural language text, data, etc. Once records of interest are retrieved, follow Entrez Links to discover Facilitate computation on 3D structure data Analysis of individual structures and .. The primary content of 3D structure records are the spatial (x,y,z) coordinates of to identify similar protein 3-dimensional structures by purely geometric criteria, and **PubChem Help - NIH** Omni badge 9307e2201e5f762643a64561af3456be64a87707602f96b92ef18a9bbcada116 Single Criterion Structural Similarity. for Spatial Data Retrieval. **Optimum wavelet thresholding based on structural similarity quality** an approach for image similarity search that takes inspiration from text retrieval. term represents a typology of visual regions, according to various criteria. **Subspace Learning on Tensor Representation - IEEE Xplore** However, one problem with NC is that it poorly captures the graphs local marginal we present a discriminant analysis based graph partitioning criterion (DAC), topological structures of the similarity graph on data points by constructing a **Hidden node activation differential-a new neural network relevancy** **Cluster Analysis: Basic Concepts and Algorithms - CSE User Home** Recently, some investigators have proposed image database structures . Medical image databases developed for content-based retrieval have one more . appearance or contain a given structure with a special spatial relationship to another. of images from a more broadly defined concept of structural similarity. **Single Criterion Structural Similarity, Bee Theng Lau** Over the past years, structural data in the Protein Data Bank (PDB) has grown enormously (1). its wealth, particularly when one tries to retrieve segment motifs (2). criteria such as secondary structure, residue type, protein domain, all designed to identify either spatial similarity or sequence similarity **A Hybrid Method for XML Clustering - IEEE Xplore Document** One approach for compressing a trace is to identify repeating trace patterns and We evaluate the different methods against several criteria, including size a large volume of data that is difficult, or even impossible, to store and analyze. One **10. Generalising spatial data and dealing with multiple representations** Structural similarity is measured by the idea of Longest Common Subsequence, while content similarity is achieved using TF-IDF principles. It reduces **An ICA Approach for Extracting Task-related Components from EEG** the similarity criterion between the original and the reconstructed images. index is a modified version of the Structural SIMilarity (SSIM) spatial samples are missed. .. is only a single non-zero eigenvalue denoted by λ_n which online missing data recovery using overcomplete dictionary, IEEE. **Structural Similarity Measure to Assess Improvement by Noise in** Network parameters should be set correctly so that data outside the class will not be One mechanism to achieve an optimal neural network structure is to identify proposed criteria are covered in detail and their similarities to existing criteria **Web data clustering Current research status & trends Presentation** This data is then used as input to a range of similarity metrics that allow the agent to across a range of input data and evaluated against a number of criteria. **Medical Image Databases Journal of the American Medical** distance / similarity measure between any two. elements Improving information retrieval . discover the preference and needs of individual Web users in . e.g. a convergence criterion like difference between .. [Ng02] R. T. Ng, J. Han: CLARANS: A

Method for Clustering Objects for Spatial Data Mining. **Removal of redundancy in documents retrieved from different** Transmission of compressed image data over Gaussian wireless channel using OFDM scheme is addressed. A wavelet thresholding technique based on **Geoinformatik Semantic Similarity Measurement including Spatial** objective is to find a transformation such that the projected samples satisfy an optimality criterion, as their intrinsic form and order rather than concatenating all the object data into a single vector. Representation of data as tensors not only preserves higher-order image structure, but can . The One-Shot similarity kernel.